


POWER AMPLIFIER

KAC-849

SERVICE MANUAL

KENWOOD


© 2001-3 PRINTED IN KOREA
B51-7762-00 (K) 3579




KAC-849


ADJUSTMENT

No.	ITEM	INPUT SETTINGS	OUTPUT SETTINGS	RECEIVER SETTINGS	ALIGNMENT POINTS	ALIGN FOR	FIG.
Connect a cassette receiver or CD receiver.							
1	IDEL CURRENT	-	Connect a DC voltmeter between TP1/TP2 and J3 (SP.OUT, L+/R-)	VOLUME : 0	(A) VR5 (L ch) VR6 (R ch) (B) VR7 (L ch) VR8 (R ch) (X09-)	(Normal) 2.5mV (Limit) 1.0-4.0mV	(a)






CAUTION: For continued safety, replace safety critical components only with manufacturer's recommended parts (refer to parts list). Δ indicates safety critical components. For continued protection against risk of fire, replace only with same type and rating fuse(s). To reduce the risk of electric shock, leakage-current or resistance measurements shall be carried out (exposed parts are acceptably insulated from the supply circuit) before the appliance is returned to the customer.



KAC-849

EXPLODED VIEW



Parts with exploded view numbers larger than 700 are not supplied.

10

PARTS LIST

* New Parts
Parts without Part No. are not supplied.

Ref. No.	A d d	N e w	Parts No.	Description	Desti- nation	Ref. No.	A d d	N e w	Parts No.	Description	Desti- nation
KAC-849						KAC-849					
1	3B	*	A21-4089-02	DRESSING PANEL		C17-24			CF92FV1H222J	MF-C 2200PF	J
3	3A	*	A64-2334-02	FRONT PANEL		C25			CE04DW0J101M	ELECTRO 100UF	6.3WV
4	2B	*	A84-0280-02	REAR PANEL		C26			CE04DW1H221M	ELECTRO 220UF	50WV
6	2B	*	B19-2083-03	LIGHTING BOARD		C27			CE04DW0J101M	ELECTRO 100UF	6.3WV
			B46-0100-50	WARRANTY CARD	KE1M1	C28			CE04DW1C100M	ELECTRO 10UF	16WV
		*	B64-1969-00	INST. MANUAL (ENGLISH)	KE1	C29			CE04DW1H010M	ELECTRO 1.0UF	50WV
		*	B64-1970-00	INST. MANUAL (FRENCH,SPANISH)	KE1	C30			CE04DW1E330M	ELECTRO 33UF	25WV
		*	B64-1971-00	INST. MANUAL (GERMAN,DUTCH)	E1	C31			CE04DW1E470M	ELECTRO 47UF	25WV
		*	B64-1972-00	INST. MANUAL (ITA,POR)	E1	C32-43			CK73GB1H103K	CHIP C 0.010UF	K
		*	B64-1973-00	INST. MANUAL (ENGLISH,CHINESE)	M1	C44			CE04DW1V220M	ELECTRO 22UF	35WV
7	1A	*	E30-4949-05	CONNECTING CORD ASSY		C45			C90-2566-05	ELECTRO 2200UF	16WV
						C46			CE04DW1E100M	ELECTRO 10UF	25WV
						C100			CF92FV1H102J	MF-C 1000PF	J
						C101,102			CK73GB1H102K	CHIP C 1000PF	K
						C103,104			CE04DW1C100M	ELECTRO 10UF	16WV
8	3B	*	F01-1660-01	HEAT SINK		C105,106			CC73GCH1H150J	CHIP C 15PF	J
F1	2B	*	F52-0016-05	FUSE (BLADE TYPE) (40A)		C109,112			CE04DW1C100M	ELECTRO 10UF	16WV
10	3B	*	H30-0542-03	ADHESIVE DOUBLE-COATED TAPE		C113,114			CC73GCH1H150J	CHIP C 15PF	J
			H10-4645-03	POLYSTYRENE FOAMED FIXTURE		C115,116			CE04DW1C100M	ELECTRO 10UF	16WV
			H25-0321-04	PROTECTION BAG (600X315X0.03)		C117,118			CK73FB1C334K	CHIP C 0.33UF	K
			H25-0336-04	PROTECTION BAG (170X250X0.03)		C119,120			CK73GB1E473K	CHIP C 0.047UF	K
		*	H54-2070-03	ITEM CARTON CASE		C121-124			CE04DW1C100M	ELECTRO 10UF	16WV
12	2A		J30-1066-04	SPACER		C126			CK73GB1H102K	CHIP C 1000PF	K
						C128			CE04DW1C220M	ELECTRO 22UF	16WV
						C129,130			CC73GCH1H470J	CHIP C 47PF	J
13	1A		N99-1587-05	SCREW SET		C150			CE04DW1V220M	ELECTRO 22UF	35WV
A	1A		N89-3006-45	BINDING HEAD TAPTITE SCREW		C151,152			CE04DW1C100M	ELECTRO 10UF	16WV
B	1A		N89-3008-46	BINDING HEAD TAPTITE SCREW		C153,154			CC73GCH1H471J	CHIP C 470PF	J
C	2A		N87-3012-46	BRAZIER HEAD TAPTITE SCREW		C155,156			CF92FV1H103J	MF-C 0.010UF	J
D	1A		N83-3013-45	PAN HEAD TAPTITE SCREW		C157,158			CE04DW1E470M	ELECTRO 47UF	25WV
E	2B		N09-4382-05	TAPTTIE SCREW (2.6X10)		C159,160			CC45FSL1H100D	CERAMIC 10PF	D
F	3A		N80-3010-45	PAN HEAD TAPTTIE SCREW		C161,162			CK45FB1H121K	CERAMIC 120PF	K
G	3A		N09-4026-05	TAPPING SCREW (4X8,TP,S)		C163,164			CE04DW1V100M	ELECTRO 10UF	35WV
H	3A		N83-2606-46	PAN HEAD TAPTTIE SCREW		C165,166			CF92FV1H102J	MF-C 1000PF	J
J	2B		N80-2008-45	PAN HEAD TAPTTIE SCREW		C167-170			CC45FSL1H470J	CERAMIC 47PF	J
K	3A		N15-1040-46	FLAT WASHER		C191,192			CF92FV1H473J	MF-C 0.047UF	J
14	1A		W01-1515-05	TERMINAL COVER SET		C200			CF92FV1H102J	MF-C 1000PF	J
AUDIO UNIT (X09-5390-10)						C201,202			CK73GB1H102K	CHIP C 1000PF	K
D13		*	B30-1613-05	LED (BLUE)		C203,204			CE04DW1C100M	ELECTRO 10UF	16WV
C1			CE04DW1C100M	ELECTRO 10UF	16WV	C205,206			CC73GCH1H150J	CHIP C 15PF	J
C2			CE04DW1V330M	ELECTRO 33UF	35WV	C209-212			CE04DW1C100M	ELECTRO 10UF	16WV
C3			CE04DW1V470M	ELECTRO 47UF	35WV	C213,214			CC73GCH1H150J	CHIP C 15PF	J
C4			CE04DW1H2R2M	ELECTRO 2.2UF	50WV	C215,216			CE04DW1C100M	ELECTRO 10UF	16WV
C5			CE04DW1C100M	ELECTRO 10UF	16WV	C217,218			CK73FB1C334K	CHIP C 0.33UF	K
C6			CF92FV1H102J	MF-C 1000PF	J	C219,220			CK73GB1E473K	CHIP C 0.047UF	K
C7			CE04DW1H010M	ELECTRO 1.0UF	50WV	C221-224			CE04DW1C100M	ELECTRO 10UF	16WV
C8			CE04DW1H2R2M	ELECTRO 2.2UF	50WV	C226			CK73GB1H102K	CHIP C 1000PF	K
C9			CF92FV1H822J	MF-C 8200PF	J	C228			CE04DW1C220M	ELECTRO 22UF	16WV
C10			C90-2566-05	ELECTRO 2200UF	16WV	C229,230			CC73GCH1H470J	CHIP C 47PF	J
C11,12		*	C90-5372-05	ELECTRO 4700UF	35WV	C250			CE04DW1V220M	ELECTRO 22UF	35WV
C13-16			CE04DW1V220M	ELECTRO 22UF	35WV	C251,252			CE04DW1C100M	ELECTRO 10UF	16WV
						C253,254			CC73GCH1H471J	CHIP C 470PF	J
						C255,256			CF92FV1H103J	MF-C 0.010UF	J
						C257,258			CE04DW1E470M	ELECTRO 47UF	25WV
						C259,260			CC45FSL1H100D	CERAMIC 10PF	D

E1 : Europe J1 : Japan K : North America
M1 : Other Areas

▲ indicates safety critical components.

PARTS LIST

* New Parts

Parts without Part No. are not supplied.

Ref. No.	A d d	N e w	Parts No.	Description			Desti- nation
C261,262		*	CK45FB1H121K	CERAMIC	120PF	K	
C263,264			CE04DW1V100M	ELECTRO	10UF	35WV	
C265,266			CF92FV1H102J	MF-C	1000PF	J	
C267-270			CC45FSL1H470J	CERAMIC	47PF	J	
C291,292			CF92FV1H473J	MF-C	0.047UF	J	
C301,302			CC73GCH1H101J	CHIP C	100PF	J	
C303,304			CF92FV1H224J	MF-C	0.22UF	J	
C305,306			CE04DW1H2R2M	ELECTRO	2.2UF	50WV	
C307,308			CE04DW1C100M	ELECTRO	10UF	16WV	
CN1			E40-3246-05	PIN ASSY			
E2 ,3			E23-0149-05	TERMINAL			
J1	2A	*	E63-0874-05	PIN JACK			
J2	2A	*	E58-0919-05	RECTANGULAR RECEPTACLE			
J3	1B	*	E70-0833-05	SCREW TERMINAL BOARD			
TP1 ,2			E40-3640-05	PIN ASSY			
WH1		*	E39-0408-05	WIRING HARNESS			
E1			J19-4316-05	HOLDER			
L1			L33-1015-05	CHOKE COIL			
L2		*	L19-0701-05	TRANSFORMER FOR CONVERTER			
F	2B		N80-3010-45	PAN HEAD TAPITITE SCREW			
R1 -4			RK73GB1J332J	CHIP R	3.3K	J 1/16W	
R5			RK73GB1J512J	CHIP R	5.1K	J 1/16W	
R6			RK73GB1J303J	CHIP R	30K	J 1/16W	
R7			RK73GB1J512J	CHIP R	5.1K	J 1/16W	
R8			RD14BB2C682J	RD	6.8K	J 1/6W	
R9			RK73GB1J154J	CHIP R	150K	J 1/16W	
R10			RD14BB2C182J	RD	1.8K	J 1/6W	
R11			RK73GB1J333J	CHIP R	33K	J 1/16W	
R12			RK73GB1J562J	CHIP R	5.6K	J 1/16W	
R13			RD14BB2C223J	RD	22K	J 1/6W	
R14			RK73GB1J472J	CHIP R	4.7K	J 1/16W	
R15			RK73GB1J681J	CHIP R	680	J 1/16W	
R16			RK73GB1J163J	CHIP R	16K	J 1/16W	
R17			RK73GB1J103J	CHIP R	10K	J 1/16W	
R18			RK73GB1J753J	CHIP R	75K	J 1/16W	
R19			RK73GB1J104J	CHIP R	100K	J 1/16W	
R20			RK73GB1J684J	CHIP R	680K	J 1/16W	
R21			RK73GB1J103J	CHIP R	10K	J 1/16W	
R22 ,23			RK73GB1J303J	CHIP R	30K	J 1/16W	
R24 ,25			RD14BB2C681J	RD	680	J 1/6W	
R26 ,27			RD14BB2C223J	RD	22K	J 1/6W	
R28			RD14BB2C473J	RD	47K	J 1/6W	
R29			RK73GB1J103J	CHIP R	10K	J 1/16W	
R30			RD14BB2C560J	RD	56	J 1/6W	
R31 ,32			RD14BB2C152J	RD	1.5K	J 1/6W	
R33 ,34			RD14BB2C220J	RD	22	J 1/6W	
R35 ,36			RD14BB2C151J	RD	150	J 1/6W	
R37 ,38			RD14BB2C472J	RD	4.7K	J 1/6W	
R39 ,40			RD14DB2H100J	SMALL-RD	10	J 1/2W	
R41 ,42			RD14DB2H330J	SMALL-RD	33	J 1/2W	
R43 ,44			RD14BB2C392J	RD	3.9K	J 1/6W	
R47			RK73GB1J473J	CHIP R	47K	J 1/16W	

Ref. No.	A d d	N e w	Parts No.	Description			Desti- nation
R48			RK73GB1J103J	CHIP R	10K	J 1/16W	
R49			RK73GB1J223J	CHIP R	22K	J 1/16W	
R51 -54			RD14BB2C681J	RD	680	J 1/6W	
R55 -58			RD14BB2C102J	RD	1.0K	J 1/6W	
R59 ,60			RK73GB1J332J	CHIP R	3.3K	J 1/16W	
R61 -64			RD14BB2C681J	RD	680	J 1/6W	
R65 -68			RD14BB2C102J	RD	1.0K	J 1/6W	
R69 ,70			RK73GB1J332J	CHIP R	3.3K	J 1/16W	
R71 -74			RD14BB2C473J	RD	47K	J 1/6W	
R75			RD14BB2C562J	RD	5.6K	J 1/6W	
R100			RD14BB2C102J	RD	1.0K	J 1/6W	
R101,102			RK73EB2B102J	CHIP R	1.0K	J 1/8W	
R103-108			RK73GB1J103J	CHIP R	10K	J 1/16W	
R109-112			RK73FB2A103J	CHIP R	10K	J 1/10W	
R113-116			RK73GB1J823J	CHIP R	82K	J 1/16W	
R117-120			RK73EB2B513J	CHIP R	51K	J 1/8W	
R121,122			RD14BB2C222J	RD	2.2K	J 1/6W	
R123-126			RK73FB2A103J	CHIP R	10K	J 1/10W	
R127,128			RK73GB1J223J	CHIP R	22K	J 1/16W	
R129-134			RK73GB1J103J	CHIP R	10K	J 1/16W	
R135,136			RK73GB1J302J	CHIP R	3.0K	J 1/16W	
R137,138			RK73GB1J222J	CHIP R	2.2K	J 1/16W	
R139,140			RK73GB1J103J	CHIP R	10K	J 1/16W	
R141,142			RK73GB1J163J	CHIP R	16K	J 1/16W	
R143-146			RD14BB2C223J	CHIP R	22K	J 1/16W	
R148			RK73GB1J153J	CHIP R	15K	J 1/16W	
R149,150			RK73GB1J471J	CHIP R	470	J 1/16W	
R151,152			RK73GB1J302J	CHIP R	3.0K	J 1/16W	
R153,154			RK73GB1J433J	CHIP R	43K	J 1/16W	
R155,156			RD14BB2C822J	RD	8.2K	J 1/6W	
R157-160			RD14BB2C821J	RD	820	J 1/6W	
R161,162			RD14BB2C101J	RD	100	J 1/6W	
R163,164			RD14BB2C102J	RD	1.0K	J 1/6W	
R165,166			RD14BB2C433J	RD	43K	J 1/6W	
R167,168			RD14BB2C820J	RD	82	J 1/6W	
R169-172			RD14BB2C272J	RD	2.7K	J 1/6W	
R173,174			RD14BB2C431J	RD	430	J 1/6W	
R175,176			RD14BB2C152J	RD	1.5K	J 1/6W	
R177-180			RD14NB2E101J	RD	100	J 1/4W	
R181,182			RD14NB2E221J	RD	220	J 1/4W	
R183-186			RD14NB2E4R7J	RD	4.7	J 1/4W	
R187-190			METAL-PLATE	0.1	K	2W	
R191,192			RD14DB2H100J	SMALL-RD	10	J	1/2W
R194-196			RK73GB1J222J	CHIP R	2.2K	J	1/16W
R197			RK73EB2B301J	CHIP R	300	J	1/8W
R198			RK73GB1J153J	CHIP R	15K	J	1/16W
R200			RD14BB2C102J	RD	1.0K	J	1/6W
R201,202			RK73EB2B102J	CHIP R	1.0K	J	1/8W
R203-208			RK73GB1J103J	CHIP R	10K	J	1/16W
R209-212			RK73FB2A103J	CHIP R	10K	J	1/10W
R213-216			RK73GB1J823J	CHIP R	82K	J	1/16W
R217-220			RK73EB2B513J	CHIP R	51K	J	1/8W
R221,222			RD14BB2C222J	RD	2.2K	J	1/6W
R223-226			RK73FB2A103J	CHIP R	10K	J	1/10W
R227,228			RK73GB1J223J	CHIP R	22K	J	1/16W

E1 : Europe J1 : Japan K : North America
 M1 : Other Areas

▲ indicates safety critical components.

PARTS LIST

* New Parts

Parts without Part No. are not supplied.

Ref. No.	A d d	N e w	Parts No.	Description			Desti- nation	Ref. No.	A d d	N e w	Parts No.	Description		Desti- nation	
R229-234			RK73GB1J103J	CHIP R	10K	J	1/16W	D18,19			RD16JS(B)	ZENER DIODE			
R235,236			RK73GB1J302J	CHIP R	3.0K	J	1/16W	D20 -40			1SS133	DIODE			
R237,238			RK73GB1J222J	CHIP R	2.2K	J	1/16W	D42,43			MA3056WA	ZENER DIODE			
R239,240			RK73GB1J103J	CHIP R	10K	J	1/16W	D101-104			1SS133	DIODE			
R241,242			RK73GB1J163J	CHIP R	16K	J	1/16W	D201-204			1SS133	DIODE			
R243-246			RK73GB1J223J	CHIP R	22K	J	1/16W	IC1 -5			NJM2058M	IC(OP AMP)			
R248			RK73GB1J153J	CHIP R	15K	J	1/16W	IC6			NJM4565M	ANALOGUE IC			
R249,250			RK73GB1J471J	CHIP R	470	J	1/16W	IC7			NJM2058M	IC(OP AMP)			
R251,252			RK73GB1J302J	CHIP R	3.0K	J	1/16W	IC8			UPC494GS	ANALOGUE IC			
R253,254			RK73GB1J433J	CHIP R	43K	J	1/16W	Q1 ,2			2SC2412K	TRANSISTOR			
R255,256			RD14BB2C822J	RD	8.2K	J	1/6W	Q3			2SA817A	TRANSISTOR			
R257-260			RD14BB2C821J	RD	820	J	1/6W	Q4			2SA1037K	TRANSISTOR			
R261,262			RD14BB2C101J	RD	100	J	1/6W	Q5			2SC2412K	TRANSISTOR			
R263,264			RD14BB2C102J	RD	1.0K	J	1/6W	Q6			2SC945(A)(Q,P)	TRANSISTOR			
R265,266			RD14BB2C433J	RD	43K	J	1/6W	Q7			2SC3940(R,S)	TRANSISTOR			
R267,268			RD14BB2C820J	RD	82	J	1/6W	Q9 ,10			2SC945(A)(Q,P)	TRANSISTOR			
R269-272			RD14BB2C272J	RD	2.7K	J	1/6W	Q11 ,12			2SA733(A)(Q,P)	TRANSISTOR			
R273,274			RD14BB2C431J	RD	430	J	1/6W	Q13 -16			FKV550T*B	FET			
R275,276			RD14BB2C152J	RD	1.5K	J	1/6W	Q17			2SD2396	TRANSISTOR			
R277-280			RD14NB2E101J	RD	100	J	1/4W	Q18			2SB1565	TRANSISTOR			
R281,282			RD14NB2E221J	RD	220	J	1/4W	Q21 ,22			2SA733(A)(Q,P)	TRANSISTOR			
R283-286			RD14NB2E4R7J	RD	4.7	J	1/4W	Q24			2SC1627A	TRANSISTOR			
R287-290			R92-0205-05	METAL-PLATE	0.1	K	2W	Q25 ,26			2SC945(A)(Q,P)	TRANSISTOR			
R291,292			RD14DB2H100J	SMALL-RD	10	J	1/2W	Q27 ,28			2SC1845(F,E)	TRANSISTOR			
R294-296			RK73GB1J222J	CHIP R	2.2K	J	1/16W	Q29 ,30			2SA992(F,E)	TRANSISTOR			
R297			RK73EB2B301J	CHIP R	300	J	1/8W	Q31 ,32			2SC945(A)(Q,P)	TRANSISTOR			
R298			RK73GB1J153J	CHIP R	15K	J	1/16W	Q33 ,34			2SC1845(F,E)	TRANSISTOR			
R301-306			RK73GB1J432J	CHIP R	4.3K	J	1/16W	Q35 ,36			2SA992(F,E)	TRANSISTOR			
R307,308			RK73GB1J243J	CHIP R	24K	J	1/16W	Q101-104			2SA733(A)(Q,P)	TRANSISTOR			
R309,310			RK73GB1J301J	CHIP R	300	J	1/16W	Q105-108			2SC1845(F,E)	TRANSISTOR			
R311,312			RK73GB1J362J	CHIP R	3.6K	J	1/16W	Q109,110			2SC4137(V,W)	TRANSISTOR			
R313,314			RK73GB1J112J	CHIP R	1.1K	J	1/16W	Q111,112			2SC1627A	TRANSISTOR			
R315,316			RK73GB1J432J	CHIP R	4.3K	J	1/16W	Q11s,114			2SA817A	TRANSISTOR			
R317,318			RK73GB1J104J	CHIP R	100K	J	1/16W	Q115,116			2SC5101LB*5	TRANSISTOR			
R319,320			RK73GB1J223J	CHIP R	22K	J	1/16W	Q117,118			2SA1909LB*5	TRANSISTOR			
R401-440			RD14BB2E221J	RD	220	J	1/4W	Q201-204			2SA733(A)(Q,P)	TRANSISTOR			
VR1 ,2	*	R31-0215-05	VARIABLE RESISTOR						Q205-208			2SC1845(F,E)	TRANSISTOR		
VR3 ,4		R31-0232-05	VARIABLE RESISTOR						Q209,210			2SC4137(V,W)	TRANSISTOR		
VR5 -8		R32-0030-05	SEMI FIXED VARIABLE RESISTOR						Q211,212			2SC1627A	TRANSISTOR		
W351-395		R92-1252-05	CHIP R 0 OHM						Q213,214			2SA817A	TRANSISTOR		
S1 ,2		S62-0842-05	SLIDE SWITCH						Q215,216			2SC5101LB*5	TRANSISTOR		
S3 ,4		S31-2630-05	SLIDE SWITCH						Q217,218			2SA1909LB*5	TRANSISTOR		
S5 ,6		S62-0842-05	SLIDE SWITCH						TH1			PTH9L04BD222TS	POSITIVE RESISTOR		
D1		1N5406-M	DIODE						TH2			PTH9M04BD222T	POSITIVE RESISTOR		
D2		RD7.5JS(B)	ZENER DIODE												
D3		RD16JS(B)	ZENER DIODE												
D4 ,5		1SS133	DIODE												
D6		RD5.1JS(B)	ZENER DIODE												
D7		RD10JS(B)	ZENER DIODE												
D8 -12		1SS133	DIODE												
D14 ,15		1SS133	DIODE												
D16		FML22S*A	DIODE												
D17		FML22R*A	DIODE												

KAC-849

SPECIFICATIONS

Audio Section

Rated Power Output (4 Ω)

A, B Channel (20-20KHz, 0.08% THD) 50W x 4

A, B Channel (DIN45324, +B=14.4V) 50W x 4

Rated Power Output (2 Ω)

A, B Channel (1KHz, 0.8% THD) 75W x 4

Bridged Power Output (4 Ω, 1Khz, 0.8% THD) 150W x 2

Max Power Output (4 Ω, Normal) 100W x 4

Max Power Output (4 Ω, Bridge) 300W x 2

Low Pass Filter (A, B channel, 12dB/oct.) 50Hz - 200Hz

High Pass Filter (A, B channel, 12dB/oct.) 50Hz - 200Hz

Bass Boost Circuit (90Hz) 0.6dB

Frequency Response (+0, -3dB) 5Hz - 50KHz

Signal to Noise Ratio 100dB

Sensitivity (Max) (rated output) 0.2V

Sensitivity (Min) (rated output) 5.0V

Input Impedance 10KΩ

General

Operating Voltage (11V-16V allowable) 14.4V

Current Consumption (1Khz, 10% THD) 31A

Dimensions (Width x Height x Depth) 261mm x 57mm x 256mm

Weight 3.5Kg